

# **Curriculum Vitae**

---

**Gunda Thöming, Ph.D.**

NIBIO – Norwegian Institute of Bioeconomy Research  
Høgskoleveien 7  
1433 Ås  
Norway

E-mail: gunda.thoeming@nibio.no  
Telephone: (+47) 92 01 13 07

**Scientist – Chemical Ecology, Insect Behaviour, Insect Pest Management**

## Education:

2005	<b>Dr. rer. hort. (Ph.D.)</b> , Horticultural Sciences, Plant Protection, Entomology Leibniz University Hannover, Germany.
2002	<b>Diplom (M.Sc.)</b> , Horticultural Sciences Leibniz University Hannover, Germany.
1999	<b>Vordiplom (B.Sc.)</b> , Horticultural Sciences Leibniz University Hannover, Germany.
1997	<b>LTA – Landwirtschaftlich Technische Assistentin (Laboratory assistant)</b> , Biotechnology Federal Centre for Breeding Research on Cultivated Plants, Ahrensburg, Germany.

## Work experience:

03/2013 – today	<b>Independent research</b> in chemical ecology, insect behaviour and pest management at the Norwegian Institute of Bioeconomy Research – NIBIO (former BIOFORSK), Biotechnology and Plant Health Division, Invertebrate Pests and Weeds, Chemical Ecology, Ås, Norway.
08/2016	Award: <i>The 2016 Research Article of the Year Award</i> of Journal of Agricultural and Food Chemistry and American Chemical Society, Division of Agrochemicals.
03/2013	Patent application: Use of pea plant volatiles to attract pea moth.
03/2011 – 02/2013	<b>Postdoctoral research</b> at the Norwegian Institute for Agricultural and Environmental Research - BIOFORSK, Research Division Plant Health and Plant Protection, Chemical Ecology, Ås, Norway.
03/2011 – 02/2013	Postdoctoral fellowship of the Deutsche Forschungsgemeinschaft.
03/2009 – 02/2011	<b>Postdoctoral research</b> at the Swedish University of Agricultural Sciences, Department of Plant Protection Biology, Chemical Ecology Group, Alnarp, Sweden.
02/2010 – 03/2010	Research visit at the Assiut University, Faculty of Science, Department of Zoology, Assiut, Egypt.
02/2006 – 12/2008	<b>Postdoctoral research</b> at the University Kassel, Department of Ecological Plant Protection, Witzenhausen, Germany.
09/2007 + 06/2007	Research visits at the Swedish University of Agricultural Sciences, Department of Plant Protection Biology, Chemical Ecology Group, Alnarp, Sweden. Funded by the Boehringer Ingelheim Fonds.
01/2003 – 12/2005	<b>Doctoral thesis:</b> "Soil application of neem products in integrated pest management: controlling thrips (Thysanoptera: Thripidae) in vegetable crops", Leibniz University Hannover, Institute of Plant Diseases and Plant Protection, Entomology Group, Hannover, Germany.
01/2003 – 12/2005	Doctoral scholarship of the Deutsche Bundesstiftung Umwelt.
02/2004 – 12/2004	Research visit at the Asian Institute of Technology, Pathumthani, Thailand. Funded by the Deutsche Forschungsgemeinschaft and the Deutsche Bundesstiftung Umwelt.
02/2002 – 12/2002	Coworker at the Leibniz University Hannover, Institute of Plant Diseases and Plant Protection, Entomology Group, Germany.

## Selected projects:

- 2015-2019      **BRAKORN** - Improving the profitability of spring oilseed Brassica production – a key to improving quality and yield of cereal crops in Norway: *WP 3.2: Optimizing integrated pest management strategies for pest insects of spring oilseed Brassica*. Work package leader. Funded by: Forskningsrådet / KPN, Norway.
- 2015-2018      **SMARTCROP** – Innovative approaches and technologies for Integrated Pest Management (IPM) to increase sustainable food: *WP 1.2: Odor-based insect control combined with biological control*. Work package leader. Funded by: Forskningsrådet / Bionær, Norway.
- 2015-2017      *Integrated control of the onion fly in Norway – development of monitoring and prognoses* (Integrert bekjempelse av løkflue i Norge – Utvikling av metode for overvåking og varsling). Project leader. Funded by: Landbruksdirektoratet / FFL / JA, Norway.
- 2011 – 2013      *Pea odorants guide host finding behaviour in pea moth: a new strategy for sustainable insect management*. Project leader. Funded by: Deutsche Forschungsgemeinschaft, Germany.
- 2006 – 2008      *Development of a situational concept to control pea moth Cydia nigricana (Lepidoptera: Tortricidae) in green- and field peas* (Entwicklung eines situationsbezogenen Konzeptes zur Regulation des Erbsenwicklers in Gemüse- und Körnererbsen). Project leader. Funded by: German Federal Ministry of Food, Agriculture and Consumer Protection, BLE/BÖL, Germany.
- 2003 – 2005      *Soil application of neem products in integrated pest management: Controlling thrips in vegetable crops* (Möglichkeiten zur Nutzung von Bodenapplikationen von Neem-Präparaten im integrierten Pflanzenschutz am Beispiel der Kontrolle von Thripsen). Project leader. Funded by: Deutsche Bundesstiftung Umwelt, Germany.

## List of publications:

### *International peer reviewed journals*

- Salvagnin, U, Malnoy, M, **Thöming, G**, Tasin, M, Carlin, S, Martens, S, Vrhovsek, U, Angeli, S, Anfora, G. 2017. Adjusting the scent ratio: using genetically modified *Vitis vinifera* plants to manipulate European grapevine moth behaviour. *Plant Biotechnology Journal*. <https://doi.org/10.1111/pbi.12767>.
- Dalen, M, Knudsen, GK, Norli, HR, **Thöming, G**. 2015. Sources of volatiles mediating host location behaviour of *Glypta haesitator*, a larval parasitoid of *Cydia nigricana*. *Biological Control* 90: 128-140.
- Thöming, G** & Norli, HR. 2015. Olfactory cues from different plant species in host selection by female pea moth. *Journal of Agricultural and Food Chemistry* 63: 2127-2136. (The 2016 JAFC Research Article of the Year Award)
- Thöming, G** & Knudsen, GK. 2014. Attraction of pea moth *Cydia nigricana* to pea flower volatiles. *Phytochemistry* 100: 66-75.
- Thöming, G**, Norli, HR, Saucke, H & Knudsen, GK. 2014. Pea plant volatiles guide host location behaviour in pea moth. *Arthropod-Plant Interactions* 8: 109-122.
- Thöming, G**, Larsson, MC, Hansson, BS & Anderson, P. 2013. Comparison of plant preference hierarchies of male and female moths and the impact of larval rearing hosts. *Ecology* 94: 1744-1752.
- Anderson, P, Sadek, MM, Larsson, MC, Hansson, BS & **Thöming, G**. 2013. Larval host plant experience modulates both mate finding and oviposition choice in a moth. *Animal Behaviour* 85: 1169-1175.
- Thöming, G**, Pölitz, B, Kühne, A & Saucke, H. 2011. Risk assessment of pea moth *Cydia nigricana* infestation in organic green peas based on spatiotemporal distribution and phenology of the host plant. *Agricultural and Forest Entomology* 13: 212-130.
- Thöming, G** & Saucke, H. 2011. Key factors affecting the spring emergence of pea moth (*Cydia nigricana*). *Bulletin of Entomological Research* 101: 127-133.
- Kumar, P, Whitten, M, **Thoeming, G**, Borgemeister, C & Poehling, H-M. 2008. Effects of bio-pesticides on *Eretmocerus warrae* (Hym., Aphelinidae), a parasitoid of *Bemisia tabaci* (Hom., Aleyrodidae). *Journal of Applied Entomology* 132: 605-613.
- Hossain, B, Poehling, H-M, **Thöming, G** & Borgemeister, C. 2008. Effects of soil application of neem (NeemAzal®-U) on different life stages of *Liriomyza sativae* (Diptera: Agromyzidae) on tomato in humid tropics. *Journal of Plant Diseases and Protection* 115: 80-87.
- Thoeming, G**, Draeger, G & Poehling, H-M. 2006. Soil application of azadirachtin and 3-tigloyl-azadirachtol to control the western flower thrips, *Frankliniella occidentalis* (Thysanoptera: Thripidae): translocation and persistence in bean plants. *Pest Management Science* 62: 759-767.
- Thoeming, G** & Poehling, H-M. 2006. Integrating soil-applied azadirachtin with *Amblyseius cucumeris* (Acari: Phytoseiidae) and *Hypoaspis aculeifer* (Acari: Laelapidae) for the management of *Frankliniella occidentalis* (Thysanoptera: Thripidae). *Environmental Entomology* 35: 746-756.
- Thoeming, G** & Poehling, H-M. 2006. Soil application of different neem products to control *Ceratothripoides claratris* (Thysanoptera: Thripidae) on tomatoes grown under protected cultivation in the humid tropics (Thailand). *International Journal of Pest Management* 52: 239-248.
- Thoeming, G**, Borgemeister, C, Sétamou, M & Poehling, H-M. 2003. Systemic effects of neem on western flower thrips, *Frankliniella occidentalis* (Thysanoptera: Thripidae). *Journal of Economic Entomology* 96: 817-825.

## *Book chapter*

**Thöming, G**, Saucke, H & Witzgall, P. 2011. Pea moth. In: Compendium of chickpea and lentil diseases and pests. Chen, W, Sharma, HC & Muehlbauer, FJ (eds), APS Press, Minnesota, USA, pp. 119-121.

## *Popular scientific journals*

Folkedal Schjøll, A, & **Thöming, G**. 2017. Ertevikler – en mulig årsak til dårlige avlinger i norsk erteproduksjon. Gartneryret 5: 54-58.

Manzke, U, Klug, T & **Thöming, G**. 2015. Großbranchiopoden im Raum Hannover – ein Baustein zur Verbreitung von Feenkrebsen und Rückenschalern in Niedersachsen (Crustacea: Anostraca, Notostraca). Abhandlungen und Berichte für Naturkunde 34: 109-149. (in press)

**Thöming, G**. 2014. Hvordan finner ertevikler verterplanter? En historie om lukt i erteviklerbekjempelse. Bioforsk FOKUS 9 (2): 108.

**Thöming, G**, Norli, HR, Saucke, H & Knudsen, GK 2014. Pea flower volatiles to control the pea moth? First results from wind tunnel and field experiments. IOBC/wprs Bulletin 99: 103-105.

**Thöming, G**, Saucke, H & Knudsen, GK 2014. Pea odorants guide host finding behaviour in pea moth: a new strategy for insect management? IOBC/wprs Bulletin 107: 87-90.

**Thöming, G**, Norli, HR, Saucke, H & Knudsen, GK. 2012. Ein Lockstoff für den Erbsenwickler? Erste Ergebnisse zu Wirtspflanzen-Duftstoffen in Windtunnel- und Freilandstudien. Julius-Kühn-Archiv 438: 147.

**Thöming, G** & Saucke, H. 2012. Blatt, Knospe, Blüte oder Hülse – wann kommt der Erbsenwickler zur Erbse? Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 18: 237-240.

**Thöming, G**, Wedemeyer, R, Pölitz, B, Köhler, G & Saucke, H. 2008. Perspektiven präventiver Anbauplanung zur Regulation des Erbsenwicklers (*Cydia nigricana*) im ökologischen Gemüseerbsenanbau. Mitteilungen aus dem Julius-Kühn-Institut 417: 246.

**Thöming, G**, Wedemeyer, R & Saucke, H. 2008. Präventive Anbauplanung kombiniert mit bedarfsgerechtem Einsatz von Pyrethrinen zur Regulation des Erbsenwicklers (*Cydia nigricana*) in Gemüseerbsen. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 16: 333-337.

**Thöming, G** & Poehling, H-M. 2006. Bodenapplikationen von Neem-Präparaten zur Kontrolle von *Frankliniella occidentalis* – Verlagerung und Persistenz in Bohnenpflanzen. Mitteilungen aus der Biologischen Bundesanstalt für Land- und Forstwirtschaft 400: 128.

**Thöming, G**, Borgemeister, C & Poehling, H-M. 2004. Bodenapplikationen von Neem-Präparaten in Kombination mit dem Einsatz von Raubmilben zur Kontrolle von *Frankliniella occidentalis*. DGaaE-Nachrichten 18: 22.

**Thöming, G**, Borgemeister, C & Poehling, H-M. 2004. Neue Möglichkeiten gegen Thripse – Neem-Bodenapplikation im integrierten Pflanzenschutz. Taspo Magazin 2: 15-17.